



By appointment to The Royal Danish Court

morsø

since 1853

INDOOR/OUTDOOR COLLECTION US/CA



CONTENTS

4004
B CLASSIC & 2B STANDARD
100 SERIES
660
660M
100 SERIES
110
CCESSORIES
NVIRONMENTALLY FRIENDLY COMBUSTION
10RSØ OUTDOOR

THINGS YOU MAY NOT KNOW ABOUT MORSØ

The Morsø Company has been manufacturing cast iron stoves for over 160 years!

In 1915, Morsø was appointed "Purveyor to the Royal Danish Court": the title was changed in 1969 and became "By appointment to the Royal Danish Court".

Morsø stoves are sold over 40 different countries.

The "Ø" in the word Morsø means island, therefor Morsø means island of Mors!

The Morsø Company sponsors a public museum in its hometown of Nykøbing (pronounced "New-co-bing"), the museum calebrates the history of cast iron stove manufacturing on the island.

Every Morsø stove is hand-built by long serving craftmen.

The outer joints in every Morsø cast iron stove are rope sealed! This helps to maintain a flexible airtight joint for years and years - other cast iron stove have fire-cemented joints that crack over time!

The internal castings in every Morsø stove are made in Chrome Iron. Chrome Iron has a higher heat resistance and is far more durable than cast iron!

1 in 20 Morsø stoves are removed from the production line and compression tested; thus ensuring the correct air tightness!

90% of the iron used in Morsø castings has been recycled!

The Squirrel emblem featured on the sides of the 1400 series has been adoring Morsø stoves since the early 1930s. The Squirrel emblem can be found on many other stove models in countries wher Morsø stoves are known by numbers and not by names!

36% of Morsø stove owners take between 2 & 3 months choosing their stove; 62% burn wood fuel only and 68% shoose Morsø because of the brand reputation for quality!

10 years guarantee if registration on morsoe.com. Warranty is granted according to Morsø Jernstøberi A/S' warranty conditions and valid as from date og purchase.

1400 SERIES





Radiant






Convection
Maximum Heat24,733 BTU/hr
Log size12"
Max. Area Heated 1000 ft²
Firebox Dimensions 121/4" W x 103/4" D
Firebox volume/capacity 0.736 ft ³
Outside air supply Not Available
Gross Weight 222 Lbs
Technical burn time (tested) 2H33M
Tested efficiency
Particulate emission1,80 grm/hr
Basic Clearance
(using single wall pipe top vent)
Stove to side wall8"
Stove to rear wall10"
Stove to corner7"
Basic Clearance
(using double wall pipe top vent)
Stove to side wall8"
Stove to rear wall6"
Stove to corner7"
Flue outlet center 22 7/8"



2B CLASSIC & 2B STANDARD









Radiant

Maximum Heat31,988 BTU/hr
Log size18"
Max. Area Heated 1200 ft $^{\scriptscriptstyle 2}$
Firebox Dimensions 7" W x $21\frac{1}{2}$ " D
Firebox volume/capacity o.68 ft ³
Gross Weight 253 Lbs
Outside air supply Not available
Technical burn time (tested) 6H17M
Tested efficiency 80%
Particulate emission o,50 grm/hr

Basic Clearance

(using single wall pipe top vent)
Stove to side wall26"
Stove to rear wall7"
Stove to corner22"
Flue outlet center

Radiant

naulalit
Maximum Heat 25,299 BTU/hr
Log size18"
Max. Area Heated 1200 ft²
Firebox Dimensions 7" W x 21½" D
Firebox volume/capacity o.69 ft ³
Gross Weight156 Lbs
Outside air supply Not available
Technical burn time (tested)7H42M
Tested efficiency 80%
Particulate emission 0,55 grm/hr

Basic Clearance

(using single wall pipe top vent)
Stove to side wall26"
Stove to rear wall16"
Stove to corner
Flue outlet center 5 3/8"



3100 SERIES









Radiant
Maximum Heat28,000 BTU/hr
Log size12"
Max. Area Heated 1000 ft ²
Firebox Dimensions 131/4" W x 121/2" D
Firebox volume/capacity o.85 ft ³
Outside air supply Available
Gross Weight 245 Lbs
Mobile home approved Yes
Technical burn time (tested) 3H5M
Tested efficiency 68%
Particulate emission1,90 grm/hr
Basic Clearance
(using single wall pipe top vent)
Stove to side wall20"
Stove to rear wall12"
Stove to corner
Basic Clearance
(using double wall pipe top vent)
Stove to side wall20"
Stove to rear wall8"
Stove to corner
Flue outlet center 29 1/8"

Convection
Maximum Heat28,000 BTU/hr
Log size 15"
Max. Area Heated 1200 ft²
Firebox Dimensions 131/4" W x 121/2" D
Firebox volume/capacity o.85 ft ³
Outside air supply Available
Gross Weight 279 Lbs
Mobile home approved Yes
Technical burn time (tested) 3H5M
Tested efficiency 68%
Particulate emission1,90 grm/hr
Basic Clearance
(using single wall pipe top vent)
Stove to side wall
Stove to rear wall9"
Stove to corner
Basic Clearance
(using double wall pipe top vent)
Stove to side wall
Stove to rear wall
Stove to corner11"
Flue outlet center 31"



5660







Morsø 5660 B Standard Item-no.: 64566721

Morsø 5660 B Blower Item-no.: 64566821 (Delivered without Blower. Tested with Fasco B22508)

Convection

Maximum Heat.....43,499 BTU/hr Log size 2 0 " Max. Area Heated 2200 ft² Firebox Dimensions 203/4" W x 11" D Fireplace opening...283/4"W x 191/4"D x 211/4"H Firebox volume/capacity 1.15 ft³ Gross Weight275 Lbs Outside air supply Available Technical burn time (tested) ... 5H29M Particulate emission.....1,55 grm/hr **Basic Clearance** Stove to side wall 7 " Stove to top 28½" Stove to side trim 8" Optional: 3-sided wide trim kit .40" (W) x 25.25" (H) 4-sided wide trim kit . 40" (W) x 33.75" (H) Morsø 5660 Zero-Clearance Enclosure 67"H x 3934W x 251/2D

Convection Maximum Heat..... 43,499 BTU/hr Log size 2 o " Max. Area Heated 2200 $\,$ ft 2 Firebox Dimensions2034" W x 11" D Fireplace opening. .2834 W x 1914 D x 26 H Firebox volume/capacity 1.15 ft³ Outside air supply Available Gross Weight 383 Lbs Technical burn time (tested) ... 5H29M Particulate emission.....1,55 grm/hr **Basic Clearance** Stove to top 2 6 ½" Stove to side trim 8" Optional: 3-sided wide trim kit38.5" (W) x 31" (H) 3-sided wide trim kit42.5" (W) x 33" (H) 3-sided wide trim kit46 3/8 (W) x 35" (H) Morsø 5660 Zero-Clearance Enclosure:

67"H x 3934W x 251/2D. Optional 5660 Zero Clearance Enclosure Blower kit. The fan is "high quality adjustable 110 CFM fan that is powerful and very quiet.

Optional 5660 Zero Clearance Enclosure








6100 SERIES

















Convection

Maximum Heat......38,107 BTU/hr Test fuel load5.21 lbs Particulate Emission..... 0,67 grm/hr Log size11" Max. Area Heated 1000 ft² Firebox Dimensions 13" W x 10" D Firebox volume/capacity0.505 ft³ Outside air supply Available Gross Weight 258 - 285 Lbs Mobile home approved Yes Technical burn time (tested) .. 2H57M **Basic Clearance** (using single wall pipe top vent) Stove to side wall10" Stove to rear wall3" Stove to corner5' **Basic Clearance** (using double wall pipe top vent) Stove to side wall10" Stove to rear wall2" Stove to corner5" Flue outlet center 22 7/8"

Convection

Maximum Heat.....38,107 BTU/hr Test fuel load 5.21 lbs Particulate Emission..... 0,67 grm/hr Log size11" Max. Area Heated 1000 ft² Firebox Dimensions 13" W x 10" D Firebox volume/capacityo.505 ft³ Outside air supply Available Gross Weight 258 - 285 Lbs Mobile home approved Yes Technical burn time (tested) .. 2H57M Tested efficiency 77% **Basic Clearance** (using single wall pipe top vent) Stove to side wall10" Stove to rear wall3" Stove to corner 5" **Basic Clearance** (using double wall pipe top vent) Stove to side wall10" Stove to rear wall2" Stove to corner5"

Flue outlet center 30 5/8"

Convection

Maximum Heat......38,107 BTU/hr Test fuel load5.21 lbs Particulate Emission..... 0,67 grm/hr Max. Area Heated 1000 ft² Firebox Dimensions 13" W x 10" D Firebox volume/capacityo.505 ft3 Outside air supply Available Gross Weight 258 - 285 Lbs Mobile home approved Yes Technical burn time (tested) .. 2H57M Basic Clearance (using single wall pipe top vent) Stove to side wall10" Stove to rear wall3" Stove to corner5" **Basic Clearance** (using double wall pipe top vent) Stove to side wall10" Stove to rear wall2" Stove to corner5"

Flue outlet center 30 5/8"



7110





Morsø 7110 B Item-no.: 64710221



Radiant

Maximum Heat 36,544 BTU/hr
Log size16.5"
Max. Area Heated 1300 ft ²
Firebox Dimensions 17½" W x 9" D
Firebox volume/capacityo.830 ft ³
Outside air supply Available
Gross Weight 309 Lbs
Mobile home approved Yes
Technical burn time (tested) 4H2M
Tested efficiency
Particulate emission1,1 grm/hr

Basic Clearance

(using single wall pipe top vent)	
Stove to side wall16	,,
Stove to rear wall 61/2	,,
Stove to corner 81/2	,,

Flue outlet center 21 2/8"



ACCESSORIES



NEW 62993300 Morsø Adrian Fire Tools



62916521 Morsø Curva Fire Tools

62905700 Morsø Ash & Storage Bucket





62917021 Morsø Loop Fire Tool Set



62900221 Morsø Classic Fire Tools



Morsø Complete Fire Tools





61753201

Morsø Cast Iron Trivet with N.A.C. Logo

6175330

Morsø Cast Iron Trivet with squirrel



Morsø Assembly & Maintenance







62920521 Morsø Firewood Box



Morsø Canvas Wood Carrier



62906821 Morsø Child Guard 110 x 110 x 70 cm



62901200 Morsø Flue Gas Thermometer



62929900 Morsø Moisture Meter



62917221 Morsø Dustpan & Broom



Right: 62900700 / Left: 62900800 Morsø Leather Glove left/right




⁶²⁸53479 Morsø Cast Iron Humidifier 2,0 L

61853079 Morsø Cast Iron Humidifier 4,5 L



62900421 Morsø Firewood Bucket 32 x 40 cm 62920421 Morsø Firewood Bucket 34 x 45 cm


ENVIRONMENTALLY FRIENDLY COMBUSTION




The cross-section of the stove shown above outlines the stove's combustion and convection airflow system. Cold air is drawn into the stove and heated as its passes through the cast iron channels (the heated air washes the glass keeping it clean, clear and free from soot). The hot air also provides perfectly heated combustion air (in addition the heated tertiary air aids secondary com-

(in addition the heated tertiary air aids secondary combustion of any smoke and gasses, increasing efficiency and reducing the environmental impact).







WELCOME TO THE WORLD OUTDOORS

Since the early years, innovation has been a key driver to everyone at the Morsø Foundry. In turn, several ground breaking products and building principles has seen the light of day on the beautiful Danish island of Mors. In common with other iron foundries Morsø created the principle of convection, that on the brink of the 1900's set an all new standard for the effectiveness of heating your house using a wood burning stove. Years later, during the 1950's, when central heating pawed it's way into most homes, Morsø launched the open fireplace as another new way of bringing warmth and cosy comfort to the Danes. With the launch of the first cast iron BBQ in Denmark, we

were aiming to let the Danes enjoy their long summer nights in the garden, with great food and warmth. Today, as well as back then, summer nights could be anything from endless, calm and warm, to the ones when time or circumstance is not suited for the big setup, even if the desire for cooking great food outdoors is still there. For that particular reason, the following pages will present the new Morsø Forno Multi, which is the only product on the market that can be fired with either gas or firewood. This along with being a fantastic pizza oven, BBQ and outdoor stove, will open up a world of possibilities to turn even more summer nights into something very special.

WELCOME TO A WORLD OF WARMTH, GREAT FOOD AND INNOVATIVE CRAFTSMANSHIP.





MORSØ 62989031 MORSØ FORNO Ø70 x H60 cm / 96 kg



MORSØ 62989900 MORSØ FORNO GAS *Medio* Ø55 x H42 cm / 17,8 kg



MORSØ 62991300 MORSØ TAVOLO One-size table for Forno Gas Family W56,5 x H72,6 x L109 cm / 10,5 kg





MORSØ 62984300 MORSØ FORNO TERRA TABLE W60 × H80 × L60 cm / 40 kg



MORSØ 62988631 MORSØ GRILL '17 Ø60 x W₇₄ x Htable 81 x Hgrill 95 cm / 76 kg



MORSØ 62982400 MORSØ FORNO GARDEN TABLE W6o × H8o × L120 cm / 6o kg



MORSØ 62983231 MORSØ KAMINO Ø50 × H180 cm / 77 kg





MORSØ 62988531 MORSØ JIKO Ø32x H21,5 cm / 13 kg



MORSØ 62981131 MORSØ IGNIS Ø45 × H32 cm / 18 kg



MORSØ 64153101 MORSØ GRILL '71 TABLE Ø33 x H31 cm / 12,75 kg



MORSØ 64153001 MORSØ GRILL '71 Ø33 x H39/59/67 cm / 13 kg



MORSØ 62988831 MORSØ FIRE POT H55,7 x Ø 44,9/25,6 cm / 14 kg



MORSØ 62980800 MORSØ BEL Ø15 x H22 cm / 2,2 kg



MORSØ 62987500 MORSØ VETRO - PIZZA & FRYING PLATE Ø34 cm / 1,0 kg



MORSØ 62992200 MORSØ CHURRASCO W55 x H9 x L35-55 cm



MORSØ 62994000 MORSØ FORNO & TERRA COVER



MORSØ 62993900 MORSØ FORNO & GARDEN TABLE COVER



MORSØ 57907000 MORSØ GAS MEDIO & TAVOLO COVER



MORSØ 62981200 MORSØ FORNO COVER 0,42 kg



MORSØ 62989400 MORSØ GRILL '17 COVER 0,9 kg



MORSØ 62985200 MORSØ KAMINO COVER 0,47 kg



MORSØ 57907400 MORSØ GAS MEDIO & TERRA COVER



MORSØ 62991400 MORSØ FORNO GAS MEDIO COVER MORSØ GRILL FORNO COVER - 0,35 kg



MORSØ 62994100 MORSØ GARDEN TABLE COVER



MORSØ 62991900 MORSØ GAS-CYLINDER COVER 0,35 kg



MORSØ 62989500 MORSØ JIKO COVER 0,11 kg



MORSØ 62906400 MAINTENANCE KIT FOR FORNO



MORSØ 62993500 MAINTENANCE KIT FOR FORNO GAS







MORSØ 92745500 FARO LANTERN H30 cm



MORSØ 62993100 FIRE DIVIDER H10 x B40 x D10 cm / 1 kg



MORSØ 62993700 MORSØ TUSCAN GRILL H10 x Ø31,8/37,6 cm / 3 kg



MORSØ 92745600 FARO LANTERN H55 cm



MORSØ 62994300 BBQ SMOKER BOX H4 x Ø9 cm



MORSØ 62993600 MORSØ TUSCAN PLANCHA H10 x Ø32,5/37,6 cm / 4 kg







MORSØ 62994500 BRUSH AND SCRAPER KIT





MORSØ 62988431 SMOKEEPER Ø18 cm - Ø7 cm - H3 cm / 0,59 kg



MORSØ 62900800 MORSØ FIRE AND GRILL GLOVE, LEFT




MORSØ 62900700 MORSØ FIRE AND GRILL GLOVE, RIGHT



MORSØ 62987800 SHELF / GARDEN TABLE W55 × H4 × L118 cm / 16 kg



MORSØ 62983100 MORSØ FORNO DOOR W45 x H22 x D6 cm / 1,6 kg



MORSØ 62987900 SHELF / TERRA TABLE W55 × H4 × L58 cm / 7 kg



MORSØ 62989100 MORSØ GRILL FORNO DOOR L37 x H23 cm cm / 1,6 kg



MORSØ 62983500 MORSØ FORNO FLUE PIPE L75 cm x Ø12,4 cm / 3,37 kg



MORSØ 62980500 MORSØ ASH SCRAPER W12,5 x Ho,08 x L50,5 cm / 0,6 kg



MORSØ 62987200 MORSØ PEEL - ALU L72 x W30 cm / 0,48 kg




MORSØ AXE L52 x W13 cm / 2,4 kg



MORSØ 62987700 MORSØ PIZZA/HERBE CUTTER L28 x W9,5 cm / 0,25 kg



MORSØ 62983701 CAST IRON GRILL GRATE FOR GRILL FORNO Ø32 cm / 2,4 kg



MORSØ 62982000 GRATE FOR MORSØ IGNIS Ø44 × H1 cm / 1,1 kg



MORSØ 62980600 MORSØ FIRE TONGS W15 x H3 x L52 cm / 0,5 kg



MORSØ 62984000 MORSØ GRILL PLATES - 2 PCS. L30 x W20 cm / 1,8 kg



MORSØ 62984401 MORSØ FRYING DISH Ø32 cm / 3,1 kg



MORSØ 92743800 CULINA STEAK FORK / 2 pcs.



MORSØ 62989300 MORSØ GASLIGHTER



MORSØ 90010500 CULINA PIZZA KNIFE / 2 pcs.



MORSØ 62984100 MORSØ HANDLE FOR GRILL GRATE/GRILL PLATES L30 cm - 0,27 kg





MORSØ 62990600 MORSØ CULINA BBQ FORK L44 cm



MORSØ 62990700 MORSØ CULINA BBQ TURNER L44 cm



MORSØ 62990800 MORSØ CULINA BBQ TONGS L45 cm



MORSØ 62354301 NAC SKILLET Ø28 cm



MORSØ 62354401 NAC GRILL PAN Ø28 cm



MORSØ 62357701 NAC MULTI COCOTTE with skillet - Ø28 cm - 4,6 litre



MORSØ 62357201 NAC PAN WITH LID Ø20 cm - 1,7 litre



MORSØ 62353601 NAC PAN Ø28 cm



MORSØ 62357501 NAC SAUTER PAN WITH LID Ø25 cm - 2,2 litre

ROYAL WARMTH

At the turn of the century, Morsø began supplying heating systems to churches, schools and a number of public buildings, including the state railways and various ministries. And at the start of the 1900s, the popular imperial-style stoves found their way into the royal apartments at Amalienborg. In 1915, various stoves had already been supplied to the palaces at Amalienborg and to several other royal residences, and the company was therefore bestowed the prestigious title of Purveyor to His Majesty the King by King Christian X. Later, in 1969, the title was changed to Purveyor to the Royal Danish Court.

