



By appointment to The Royal Danish Court

morsø

since 1853

INDOOR/OUTDOOR COLLECTION
US/CA



By appointment to The Royal Danish Court

morsø

since 1853



CONTENTS

1400	4
2B CLASSIC & 2B STANDARD	6
3100 SERIES	8
5660	10
5660M	12
6100 SERIES	14
7110	16
ACCESSORIES	18
ENVIRONMENTALLY FRIENDLY COMBUSTION	20
MORSØ OUTDOOR	23

THINGS YOU MAY NOT KNOW ABOUT MORSØ

The Morsø Company has been manufacturing cast iron stoves for over 160 years!

In 1915, Morsø was appointed "Purveyor to the Royal Danish Court": the title was changed in 1969 and became "By appointment to the Royal Danish Court".

Morsø stoves are sold over 40 different countries.

The "Ø" in the word Morsø means island, therefor Morsø means island of Mors!

The Morsø Company sponsors a public museum in its hometown of Nykøbing (pronounced "New-co-bing"), the museum celebrates the history of cast iron stove manufacturing on the island.

Every Morsø stove is hand-built by long serving craftsmen.

The outer joints in every Morsø cast iron stove are rope sealed! This helps to maintain a flexible airtight joint for years and years - other cast iron stove have fire-cemented joints that crack over time!

The internal castings in every Morsø stove are made in Chrome Iron. Chrome Iron has a higher heat resistance and is far more durable than cast iron!

1 in 20 Morsø stoves are removed from the production line and compression tested; thus ensuring the correct air tightness!

90% of the iron used in Morsø castings has been recycled!


The Squirrel emblem featured on the sides of the 1400 series has been adoring Morsø stoves since the early 1930s. The Squirrel emblem can be found on many other stove models in countries wher Morsø stoves are known by numbers and not by names!

36% of Morsø stove owners take between 2 & 3 months choosing their stove; 62% burn wood fuel only and 68% shoose Morsø because of the brand reputation for quality!


10 years guarantee if registration on morsoe.com. Warranty is granted according to Morsø Jernstøberi A/S' warranty conditions and valid as from date og purchase.

1400 SERIES



 **Morsø 1410 B**
Item-no.: 64142721



 **Morsø 1440 B**
Item-no.: 64146221

Radiant

Maximum Heat 24,733 BTU/hr
 Log size 12"
 Max. Area Heated 1000 ft²
 Firebox Dimensions . . 12¼" W x 10¾" D
 Firebox volume/capacity 0.736 ft³
 Outside air supply Not Available
 Gross Weight 215 Lbs
 Technical burn time (tested) . . 2H33M
 Tested efficiency 73%
 Particulate emission 1,80 gm/hr

Basic Clearance

(using single wall pipe top vent)

Stove to side wall 20"
 Stove to rear wall 16"
 Stove to corner 14"

Basic Clearance

(using double wall pipe top vent)

Stove to side wall 20"
 Stove to rear wall 6"
 Stove to corner 14"
 Flue outlet center 23 1/2"

Convection

Maximum Heat 24,733 BTU/hr
 Log size 12"
 Max. Area Heated 1000 ft²
 Firebox Dimensions . . 12¼" W x 10¾" D
 Firebox volume/capacity 0.736 ft³
 Outside air supply Not Available
 Gross Weight 222 Lbs
 Technical burn time (tested) . . 2H33M
 Tested efficiency 73%
 Particulate emission 1,80 gm/hr

Basic Clearance

(using single wall pipe top vent)

Stove to side wall 8"
 Stove to rear wall 10"
 Stove to corner 7"

Basic Clearance

(using double wall pipe top vent)

Stove to side wall 8"
 Stove to rear wall 6"
 Stove to corner 7"
 Flue outlet center 23 7/8"




A steady beating heart. **The Morsø 1400-series** is the quintessence of a charming stove. It represents what was the heart of many a home, what we know and remember from our childhood. The combustion technology of these classic stoves have since then been further developed and improved so that harmful particles and surplus gases are burnt off. That's why, today, the stoves fulfil the strictest environmental requirements and also bear the Nordic Swan Eco-label. Despite all improvements in technology there are some details which remain timeless and a sign of quality, so Morsø's characteristic squirrel can still be found on the sides. It also available with contemporary ribbed sides.


Morsø 1440 B

2B CLASSIC & 2B STANDARD



 **Morsø 2B Classic 2020**
Item-no.: 64209521



 **Morsø 2B Standard 2020**
Item-no.: 64209621

Radiant

Maximum Heat 31,988 BTU/hr
 Log size 18"
 Max. Area Heated 1200 ft²
 Firebox Dimensions 7" W x 21½" D
 Firebox volume/capacity 0.68 ft³
 Gross Weight 253 Lbs
 Outside air supply Not available
 Technical burn time (tested) . . 6H17M
 Tested efficiency 80%
 Particulate emission 0,50 grm/hr

Basic Clearance

(using single wall pipe top vent)
 Stove to side wall 26"
 Stove to rear wall 7"
 Stove to corner 22"

 Flue outlet center 11 7/8"

Radiant

Maximum Heat 25,299 BTU/hr
 Log size 18"
 Max. Area Heated 1200 ft²
 Firebox Dimensions 7" W x 21½" D
 Firebox volume/capacity 0.69 ft³
 Gross Weight 156 Lbs
 Outside air supply Not available
 Technical burn time (tested) . . 7H42M
 Tested efficiency 80%
 Particulate emission 0,55 grm/hr

Basic Clearance

(using single wall pipe top vent)
 Stove to side wall 26"
 Stove to rear wall 16"
 Stove to corner 16"

 Flue outlet center 5 3/8"



No past – no future. At the beginning of the 1930s, the sculptor, Constantin Sørensen, created this impressive radiant stove, featuring Morsø's well-known decoration of squirrel and oak leaves. Then, as today, the **Morsø 2B Classic 2020** is in great demand, and with its almost stately appearance, the stove is perfect for patrician and farm style homes.

We have completely updated the combustion technology in the Morsø 2B Classic 2020, so that it now meets today's stringent environmental requirements. There's almost no better way to have a fire than with the Morsø 2B Classic 2020.

Morsø 2B Classic 2020

3100 SERIES



Morsø 3112 B
Item-no.: 64310921



Morsø 3142 B
Item-no.: 64315721

Radiant

Maximum Heat 28,000 BTU/hr
 Log size 12"
 Max. Area Heated 1000 ft²
 Firebox Dimensions . . 13¼" W x 12½" D
 Firebox volume/capacity 0.85 ft³
 Outside air supply Available
 Gross Weight 245 Lbs
 Mobile home approved Yes
 Technical burn time (tested) . . . 3H5M
 Tested efficiency 68%
 Particulate emission 1,90 grm/hr

Basic Clearance

(using single wall pipe top vent)
 Stove to side wall 20"
 Stove to rear wall 12"
 Stove to corner 17"

Basic Clearance

(using double wall pipe top vent)
 Stove to side wall 20"
 Stove to rear wall 8"
 Stove to corner 15"
 Flue outlet center 29 1/8"

Convection

Maximum Heat 28,000 BTU/hr
 Log size 15"
 Max. Area Heated 1200 ft²
 Firebox Dimensions . . 13¼" W x 12½" D
 Firebox volume/capacity 0.85 ft³
 Outside air supply Available
 Gross Weight 279 Lbs
 Mobile home approved Yes
 Technical burn time (tested) . . . 3H5M
 Tested efficiency 68%
 Particulate emission 1,90 grm/hr

Basic Clearance

(using single wall pipe top vent)
 Stove to side wall 16"
 Stove to rear wall 9"
 Stove to corner 13"

Basic Clearance

(using double wall pipe top vent)
 Stove to side wall 16"
 Stove to rear wall 7"
 Stove to corner 11"
 Flue outlet center 31"



The **Morsø 3100** series incorporates the best from the classic Morsø design, but takes advantage of the latest combustion principles. Efficient and environmentally friendly multi-fuel stoves **The 3112 B** is equipped with riddling grate and ashpan, making it easy to remove ash and clean the stove. It is manufactured using the latest combustion principles with tertiary air supply and meet the most stringent environmental requirements.

Morsø 3142 B

5660



Morsø 5660 B Standard
Item-no.: 64566721



Morsø 5660 B Blower
Item-no.: 64566821
(Delivered without Blower.
Tested with Fasco B22508)

Convection

Maximum Heat 43,499 BTU/hr
Log size 20" "
Max. Area Heated 2200 ft²
Firebox Dimensions 20³/₄" W x 11" D
Fireplace opening 28³/₄" W x 19¹/₄" D x 21¹/₄" H
Firebox volume/capacity 1.15 ft³
Gross Weight 275 Lbs
Outside air supply Available
Technical burn time (tested) 5H29M
Tested efficiency 71%
Particulate emission 1.55 grm/hr

Basic Clearance

Stove to side wall 17" "
Stove to top 28 1/2" "
Stove to side trim 8" "
Stove to mantle 28 1/2" "

Optional:

3-sided wide trim kit .40" (W) x 25.25" (H)
4-sided wide trim kit .40" (W) x 33.75" (H)
Morsø 5660 Zero-Clearance Enclosure
67" H x 39³/₄ W x 25¹/₂ D
Optional 5660 Zero Clearance Enclosure

Convection

Maximum Heat 43,499 BTU/hr
Log size 20" "
Max. Area Heated 2200 ft²
Firebox Dimensions 20³/₄" W x 11" D
Fireplace opening 28³/₄" W x 19¹/₄" D x 26" H
Firebox volume/capacity 1.15 ft³
Outside air supply Available
Gross Weight 383 Lbs
Technical burn time (tested) 5H29M
Tested efficiency 71%
Particulate emission 1.55 grm/hr

Basic Clearance

Stove to side wall 17" "
Stove to top 26 1/2" "
Stove to side trim 8" "
Stove to mantle 26 1/2" "

Optional:

3-sided wide trim kit 38.5" (W) x 31" (H)
3-sided wide trim kit 42.5" (W) x 33" (H)
3-sided wide trim kit 46 3/8 (W) x 35" (H)
Morsø 5660 Zero-Clearance Enclosure:

67" H x 39³/₄ W x 25¹/₂ D. Optional 5660 Zero Clearance Enclosure Blower kit. The fan is "high quality adjustable 110 CFM fan that is powerful and very quiet.



An original wood-burning stove & the joys of a crackling fire Morso is adding yet another great product to its extensive range of wood burning stoves, the **Morso 5660 B** insert.

Continuing the Morsø heritage, the 5660 B is manufactured in high grade cast iron; a strong, durable material particularly well-suited for freestanding stoves and especially wood burning inserts.

Creating comfort and cosiness in any home The Morso 5660 B insert is probably the cleanest and most modern appliance in its class. The natural, vivid texture of the cast iron surface makes for a rustic yet elegant appearance.

Relative to its size, the 5660 B insert has a large 'air-washed' window, that provides beautiful unbroken view of the dancing flames within. The simple design of the 5660 B insert will create comfort and cosiness in any home.

Morsø 5660 B



Morsø 5600 B Module



5600 B MODULE

Convection



Maximum Heat.....	43,499	BTU/hr
Log size	20	"
Max. Area Heated	2200	ft ²
Firebox Dimensions	20 ³ / ₄ "	W x 11" D
Fireplace opening	28 ³ / ₄ "	W x 19 ¹ / ₄ " D x 21 ¹ / ₄ " H
Firebox volume/capacity	1.15	ft ³
Gross Weight	502	Lbs
Outside air supply	Available	
Flue outlet center	29,93"	
Technical burn time (tested)	5 H 29 M	

(Morsø 5660 B Module is available from October 2021)





6100 SERIES





 **Morsø 6140 B**
Item-no.: 64615121
 75%+
EPC Tax Credit



 **Morsø 6143 B**
Item-no.: 64615021
 75%+
EPC Tax Credit



 **Morsø 6148 B**
Item-no.: 64614921
 75%+
EPC Tax Credit

Convection

Maximum Heat 38,107 BTU/hr
Test fuel load 5.21 lbs
Particulate Emission 0.67 grm/hr
Log size 11"
Max. Area Heated 1000 ft²
Firebox Dimensions 13" W x 10" D
Firebox volume/capacity 0.505 ft³
Outside air supply Available
Gross Weight 258 - 285 Lbs
Mobile home approved Yes
Technical burn time (tested) . . . 2H57M
Tested efficiency 77%

Basic Clearance

(using single wall pipe top vent)

Stove to side wall 10"
Stove to rear wall 3"
Stove to corner 5"

Basic Clearance

(using double wall pipe top vent)

Stove to side wall 10"
Stove to rear wall 2"
Stove to corner 5"
Flue outlet center 22 7/8"

Convection

Maximum Heat 38,107 BTU/hr
Test fuel load 5.21 lbs
Particulate Emission 0.67 grm/hr
Log size 11"
Max. Area Heated 1000 ft²
Firebox Dimensions 13" W x 10" D
Firebox volume/capacity 0.505 ft³
Outside air supply Available
Gross Weight 258 - 285 Lbs
Mobile home approved Yes
Technical burn time (tested) . . . 2H57M
Tested efficiency 77%

Basic Clearance

(using single wall pipe top vent)

Stove to side wall 10"
Stove to rear wall 3"
Stove to corner 5"

Basic Clearance

(using double wall pipe top vent)

Stove to side wall 10"
Stove to rear wall 2"
Stove to corner 5"
Flue outlet center 30 5/8"

Convection

Maximum Heat 38,107 BTU/hr
Test fuel load 5.21 lbs
Particulate Emission 0.67 grm/hr
Log size 11"
Max. Area Heated 1000 ft²
Firebox Dimensions 13" W x 10" D
Firebox volume/capacity 0.505 ft³
Outside air supply Available
Gross Weight 258 - 285 Lbs
Mobile home approved Yes
Technical burn time (tested) . . . 2H57M
Tested efficiency 77%

Basic Clearance

(using single wall pipe top vent)

Stove to side wall 10"
Stove to rear wall 3"
Stove to corner 5"

Basic Clearance

(using double wall pipe top vent)

Stove to side wall 10"
Stove to rear wall 2"
Stove to corner 5"
Flue outlet center 30 5/8"



The Morsø 6100-series fans the flames. The stove's unique combustion system helps ensure a higher temperature in the combustion chamber, which means it burns off the flue gases. This provides you with a cleaner and more environmentally-friendly combustion and a higher level of efficiency, guaranteeing you good fuel economy. Furthermore, the elegantly designed glass door and hidden mountings provide a good view of the fire and flames.

Morsø 6140 B

7110



Morsø 7110 B

Item-no.: 64710221



Radiant

Maximum Heat 36,544 BTU/hr
Log size 16,5"
Max. Area Heated 1300 ft²
Firebox Dimensions 17½" W x 9" D
Firebox volume/capacity 0.830 ft³
Outside air supply Available
Gross Weight 309 Lbs
Mobile home approved Yes
Technical burn time (tested) 4H2M
Tested efficiency 75%
Particulate emission 1,1 gm/hr

Basic Clearance

(using single wall pipe top vent)

Stove to side wall 16"
Stove to rear wall 6½"
Stove to corner 8½"

Flue outlet center 21 2/8"



The **Morsø 7110 B** wood stove, like all Morsø cast iron stoves, has a very large glass panel without any interfering bars and a superior air wash system to keep the glass clean for an unobstructed view of the fire. Designed with Scandinavian simplicity, the Morsø 7110 B with sharp edges and straight lines are combined with classical American elements such as the horizontal design and distinct profiles in the top and bottom plates. Whether you have a contemporary-designed home or a classical one, the Morsø 7110 B will seamlessly blend in to make your home cozy and warm.

Morsø 7110 B



NEW
62993300
Morsø Adrian Fire Tools



62917021
Morsø Loop Fire Tool Set



62900221
Morsø Classic Fire Tools




62916421
Morsø Curva
Poker

62916521
Morsø Curva Fire Tools



62917121
Morsø Complete Fire Tools

62905700
Morsø Ash & Storage Bucket



61753201
Morsø Cast Iron Trivet with N.A.C. Logo

61753301
Morsø Cast Iron Trivet with squirrel



Morsø Assembly & Maintenance



62917421
Morsø Ellipse Fire Tools



Morsø hearth plates



62920521
Morsø Firewood Box



62912200
Morsø Canvas Wood Carrier




62906821
Morsø Child Guard 110 x 110 x 70 cm



62901200
Morsø Flue Gas Thermometer



62929900
Morsø Moisture Meter



62917221
Morsø Dustpan & Broom



Right: 62900700 / Left: 62900800
Morsø Leather Glove left/right



62853479
Morsø Cast Iron Humidifier 2,0 L


61853079
Morsø Cast Iron Humidifier 4,5 L



62900421
Morsø Firewood Bucket 32 x 40 cm

62920421
Morsø Firewood Bucket 34 x 45 cm

ENVIRONMENTALLY FRIENDLY COMBUSTION



The cross-section of the stove shown above outlines the stove's combustion and convection airflow system. Cold air is drawn into the stove and heated as it passes through the cast iron channels (the heated air washes the glass keeping it clean, clear and free from soot). The hot air also provides perfectly heated combustion air (in addition the heated tertiary air aids secondary combustion of any smoke and gasses, increasing efficiency and reducing the environmental impact).



We're hot for fire. One of our most important areas of expertise is the production of environmentally-aware stoves, and we happily describe ourselves as experts in combustion technology.





By appointment to The Royal Danish Court

morsø

since 1853

OUTDOOR COLLECTION

WELCOME TO THE WORLD OUTDOORS

Since the early years, innovation has been a key driver to everyone at the Morsø Foundry. In turn, several groundbreaking products and building principles has seen the light of day on the beautiful Danish island of Mors. In common with other iron foundries Morsø created the principle of convection, that on the brink of the 1900's set an all new standard for the effectiveness of heating your house using a wood burning stove. Years later, during the 1950's, when central heating pawed it's way into most homes, Morsø launched the open fireplace as another new way of bringing warmth and cosy comfort to the Danes. With the launch of the first cast iron BBQ in Denmark, we

were aiming to let the Danes enjoy their long summer nights in the garden, with great food and warmth. Today, as well as back then, summer nights could be anything from endless, calm and warm, to the ones when time or circumstance is not suited for the big setup, even if the desire for cooking great food outdoors is still there. For that particular reason, the following pages will present the new Morsø Forno Multi, which is the only product on the market that can be fired with either gas or firewood. This along with being a fantastic pizza oven, BBQ and outdoor stove, will open up a world of possibilities to turn even more summer nights into something very special.

WELCOME TO A WORLD OF WARMTH, GREAT FOOD
AND INNOVATIVE CRAFTSMANSHIP.



MORSØ 62989031
MORSØ FORNO
Ø70 x H60 cm / 96 kg



MORSØ 62989900
MORSØ FORNO GAS *Medio*
Ø55 x H42 cm / 17,8 kg



MORSØ 62991300
MORSØ TAVOLO
One-size table for Forno Gas Family
W56,5 x H72,6 x L109 cm / 10,5 kg



MORSØ 62988331
MORSØ GRILL FORNO
Ø55 x H109 cm / 50 kg



MORSØ 62988631
MORSØ GRILL '17
Ø60 x W74 x Htable 81 x Hgrill 95 cm / 76 kg



MORSØ 62984300
MORSØ FORNO TERRA TABLE
W60 x H80 x L60 cm / 40 kg



MORSØ 62982400
MORSØ FORNO GARDEN TABLE
W60 x H80 x L120 cm / 60 kg



MORSØ 62983231
MORSØ KAMINO
Ø50 x H180 cm / 77 kg



MORSØ 62988531
MORSØ JIKO
Ø32x H21,5 cm / 13 kg



MORSØ 62981131
MORSØ IGNIS
Ø45 x H32 cm / 18 kg



MORSØ 64153101
MORSØ GRILL '71 TABLE
Ø33 x H31 cm / 12,75 kg



MORSØ 64153001
MORSØ GRILL '71
Ø33 x H39/59/67 cm / 13 kg



MORSØ 62988831
MORSØ FIRE POT
H55,7 x Ø 44,9/25,6 cm / 14 kg



MORSØ 62987500
MORSØ VETRO - PIZZA & FRYING PLATE
Ø34 cm / 1,0 kg



MORSØ 62980800
MORSØ BEL
Ø15 x H22 cm / 2,2 kg



MORSØ 62992200
MORSØ CHURRASCO
W55 x H9 x L35-55 cm



MORSØ 62994000
MORSØ FORNO & TERRA COVER



MORSØ 62993900
MORSØ FORNO & GARDEN TABLE COVER



MORSØ 57907000
MORSØ GAS MEDIO & TAVOLO COVER



MORSØ 62981200
MORSØ FORNO COVER
0,42 kg



MORSØ 62989400
MORSØ GRILL '17 COVER
0,9 kg



MORSØ 57907400
MORSØ GAS MEDIO & TERRA COVER



MORSØ 62991400
MORSØ FORNO GAS MEDIO COVER
MORSØ GRILL FORNO COVER - 0,35 kg



MORSØ 62985200
MORSØ KAMINO COVER
0,47 kg



MORSØ 62994100
MORSØ GARDEN TABLE COVER



MORSØ 62991900
MORSØ GAS-CYLINDER COVER
0,35 kg



MORSØ 62989500
MORSØ JIKO COVER
0,11 kg



MORSØ 62906400
MAINTENANCE KIT FOR FORNO



MORSØ 62993500
MAINTENANCE KIT FOR FORNO GAS



By appointment to The Royal Danish Court

morsø

since 1853



MORSØ 92745500
FARO LANTERN
H30 cm



MORSØ 62993100
FIRE DIVIDER
H10 x B40 x D10 cm / 1 kg



MORSØ 62993700
MORSØ TUSCAN GRILL
H10 x Ø31,8/37,6 cm / 3 kg



MORSØ 92745600
FARO LANTERN
H55 cm



MORSØ 62994300
BBQ SMOKER BOX
H4 x Ø9 cm



MORSØ 62993600
MORSØ TUSCAN PLANCHA
H10 x Ø32,5/37,6 cm / 4 kg



MORSØ 92745700
FARO LANTERN
H80 cm



MORSØ 62994500
BRUSH AND SCRAPER KIT



MORSØ 62988431
SMOKEKEEPER

Ø18 cm - Ø7 cm - H3 cm / 0,59 kg



MORSØ 62900800

MORSØ FIRE AND GRILL GLOVE, LEFT



MORSØ 62900700

MORSØ FIRE AND GRILL GLOVE, RIGHT



MORSØ 62987800

SHELF / GARDEN TABLE

W55 x H4 x L118 cm / 16 kg



MORSØ 62983100

MORSØ FORNO DOOR


W45 x H22 x D6 cm / 1,6 kg



MORSØ 62983500

MORSØ FORNO FLUE PIPE

L75 cm x Ø12,4 cm / 3,37 kg



MORSØ 62987900

SHELF / TERRA TABLE

W55 x H4 x L58 cm / 7 kg



MORSØ 62989100

MORSØ GRILL FORNO DOOR

L37 x H23 cm / 1,6 kg



MORSØ 62980500
MORSØ ASH SCRAPER
W12,5 x H0,08 x L50,5 cm / 0,6 kg



MORSØ 62987200
MORSØ PEEL - ALU
L72 x W30 cm / 0,48 kg




MORSØ 62987600
MORSØ AXE
L52 x W13 cm / 2,4 kg



MORSØ 62987700
MORSØ PIZZA/HERBE CUTTER
L28 x W9,5 cm / 0,25 kg



MORSØ 62983701
CAST IRON GRILL GRATE FOR GRILL FORNO
Ø32 cm / 2,4 kg



MORSØ 62982000
GRATE FOR MORSØ IGNIS
Ø44 x H1 cm / 1,1 kg



MORSØ 62980600
MORSØ FIRE TONGS
W15 x H3 x L52 cm / 0,5 kg



MORSØ 62984000
MORSØ GRILL PLATES - 2 PCS.
L30 x W20 cm / 1,8 kg



MORSØ 62984401
MORSØ FRYING DISH
Ø32 cm / 3,1 kg

By appointment to The Royal Danish Court
morsø
since 1853



MORSØ 92743800
CULINA STEAK FORK / 2 pcs.



MORSØ 62989300
MORSØ GASLIGHTER



MORSØ 90010500
CULINA PIZZA KNIFE / 2 pcs.



MORSØ 62984100
MORSØ HANDLE FOR GRILL GRATE/GRILL PLATES
L30 cm - 0,27 kg



MORSØ 62990600
MORSØ CULINA BBQ FORK
L44 cm



MORSØ 62990700
MORSØ CULINA BBQ TURNER
L44 cm



MORSØ 62990800
MORSØ CULINA BBQ TONGS
L45 cm



MORSØ 62354301
NAC SKILLET
Ø28 cm



MORSØ 62354401
NAC GRILL PAN
Ø28 cm



MORSØ 62357701
NAC MULTI COCOTTE
with skillet - Ø28 cm - 4,6 litre



MORSØ 62357201
NAC PAN WITH LID
Ø20 cm - 1,7 litre



MORSØ 62353601
NAC PAN
Ø28 cm



MORSØ 62357501
NAC SAUTER PAN WITH LID
Ø25 cm - 2,2 litre

ROYAL WARMTH

At the turn of the century, Morsø began supplying heating systems to churches, schools and a number of public buildings, including the state railways and various ministries. And at the start of the 1900s, the popular imperial-style stoves found their way into the royal apartments at Amalienborg. In 1915, various stoves had already been supplied to the palaces at Amalienborg and to several other royal residences, and the company was therefore bestowed the prestigious title of Purveyor to His Majesty the King by King Christian X. Later, in 1969, the title was changed to Purveyor to the Royal Danish Court.



By appointment to The Royal Danish Court

morsø

since 1853

morsoe.com · [#morsomoments](https://twitter.com/morsomoments)